




JCB-I8LI-2



JCB-I8LI-4HC



JCB-I8LI-5



JCB-I8LI

Original Instructions

GENERAL WARNINGS & DISPOSAL



To reduce the risk of injury, the user must read the instruction manual.



This symbol is used throughout this manual to warn the user about potential risks. Please read & understand these sections before using the device.



The device must not be exposed to rain or immersed in water.



Do not allow any part of the device to come into contact with flames, or to catch fire.



Do not expose battery pack or tool to fire or excessive temperatures above 130°C.



Do not dispose of batteries in household waste. Return exhausted batteries to a local collection or recycling point.



This product has been marked with a symbol relating to removing electric and electronic waste. The product should not be discarded with household waste but must be returned to a collection system which conforms to the EU Directive 2012/19/EU or UK Waste Electrical and Electronic Equipment Regulations 2013. It will then be recycled or dismantled in order to reduce the impact on the environment. Electric and electronic equipment can be hazardous for the environment and for human health since they contain hazardous substances.

The month and year of manufacture can be found within the product serial number e.g. MMYPPPAXXXXX. Where production month (MM) and production year (YY) are included.

Contents

BATTERY SAFETY	4
COMPONENT LIST	5
BATTERY TECHNICAL DATA	5
OPERATING INSTRUCTIONS	6
Intended Use	6
Battery	6
Maintenance	7
Transport and Storage	7
WARRANTY	8
DECLARATION OF CONFORMITY	9-10




BATTERY SAFETY

WARNING!

Read all safety warnings, instructions and specifications provided with this battery. Failure to follow all instructions listed below may result in electric shock, fire and/or serious injury. **Save all warnings and instructions for future reference.**

- > **Recharge only with the charger specified by the manufacturer.** A charger that is suitable for one type of battery pack may create a risk of fire when used with another battery pack.
- > **Use power tools only with specifically designated battery packs.** Use of any other battery packs may create a risk of injury and fire.
- > **When battery pack is not in use, keep it away from other metal objects, like paper clips, coins, keys, nails, screws or other small metal objects, that can make a connection from one terminal to another.** Shorting the battery terminals together may cause burns or a fire.
- > **Under abusive conditions, liquid may be ejected from the battery; avoid contact. If contact accidentally occurs, flush with water. If liquid contacts eyes, additionally seek medical help.** Liquid ejected from the battery may cause irritation or burns.
- > **Do not use a battery pack or tool that is damaged or modified.** Damaged or modified batteries may exhibit unpredictable behaviour resulting in fire, explosion or risk of injury.
- > **Do not expose battery pack or tool to fire or excessive temperature.** Exposure to fire or temperatures above 130°C may cause explosion.
- > **Follow all charging instructions and do not charge the battery pack or tool outside the temperature range specified in the instructions.** Charging improperly or at temperatures outside the specified range may damage the battery and increase the risk of fire.
- > **Have your power tool serviced by a qualified repair person using only identical replacement parts.** This will ensure the safety of the power tool is maintained.
- > **Never service damaged battery packs.** Service of battery packs should only be performed by the manufacturer or authorised service providers.

COMPONENT LIST



Battery shown for illustrative purposes only

1. BATTERY PACK - PLEASE REFER TO TABLE BELOW FOR BATTERY INFORMATION
2. BATTERY TEST BUTTON AND CHARGE INDICATOR
3. BATTERY RELEASE BUTTON

LITHIUM ION BATTERY TECHNICAL DATA

Battery Code	Battery Size	Voltage	Battery Capacity	Charge Time (I8FC-45 Fast Charger)	Charge Time (I8-FC9 Super Fast Charger)	Charge Time (I8-DC45 Dual Fast Charger)
I8LI-2	Small	I8V	2.0Ah	45 mins	45 mins	45 mins
I8LI-4HC	Small	I8V	4.0Ah	65 mins	45 mins	65 mins
I8LI-5	Large	I8V	5.0Ah	75 mins	45 mins	75 mins

Times given as a guide only. Battery charge and discharge times dependant on age, usage and condition.



OPERATING INSTRUCTIONS

Intended Use

This lithium-ion battery pack is intended for use only with a compatible JCB 18V power tool & charger.

The component must not be modified or used for any other purposes than the ones described in these instructions.

Battery

NOTE

Check the power tool switch is not operated during insertion or removal of the battery pack.

- **Do not force the battery when connecting it, use moderate pressure.** An incorrectly connected battery can damage the battery terminals or the battery socket on the tool.
- Use the button on the battery to check the charging status; 4 red LEDs indicates fully charged, where 1 indicates low battery status.

Charging The Battery



WARNING!

After charging for the first time, ensure the battery is completely discharged before placing on charge again. Repeat this charging and discharging cycle 4 to 5 times to ensure battery is correctly conditioned.

- Place the battery charger on a level and stable surface.
- Connect the battery to the charger so that it clicks into place.
- Plug the charger into a suitable power supply. Note: ensure the rated voltage on the charger rating label matches the power supply voltage.

- Refer to the Battery Charge Level table below for battery charger status as indicated by LED lights.
- Unplug the charger from the power point and remove the battery from the charger.

Battery Charge Level

Red LED	Green LED	Battery Charge Status
		Charger is connected to mains power
		Connected battery is charging
		Connected battery is fully charged
		Connected battery has a charging fault
		Charger is outside correct operating temperature range (<0°C / >40°C)

If the LEDs on the charger do not come on when charging:

- Check that the battery charger plug is connected properly to the power supply and the supply is switched on.
- Check that the battery is correctly inserted in the charger.

Connecting the battery to the power tool

- Connect the battery to the battery socket on the tool so that it clicks into place.

Removing the battery pack from the power tool

- Press the battery release button and remove the battery from the tool.

Maintenance

WARNING!

Remove the battery pack from the tool or charger before cleaning and maintenance. This helps avoid the risk of electric shocks and accidental injury.

- Wipe the battery pack with a dry or damp cloth. **Do not use a wet cloth. Do not use detergent that contains solvent or corrosive, abrasive additives.** This risks damaging the surfaces of the battery pack.
- Clear the battery connection terminals and the release button of dust and dirt after each use. **Do not clean terminals by inserting sharp objects in them, such as screwdrivers and other similar objects.**
- Stubborn contamination in areas hard to access can be removed with compressed air (max 3. bar).
- Regularly check all fasteners, screws and bolts to make sure that they are tight. Tighten any loose screws immediately or serious injury could occur.

WARNING!

Never open the battery pack. The battery pack has no internal parts that the user can service or repair. Never try to repair the battery pack yourself. Take to an authorised service centre.

Transport and Storage

- Store the battery pack in a dry, frost-free, well ventilated place with a temperature of no more than 40°C.
 - Keep all battery packs out of the reach of children.
 - Always remove the battery from any tools before transport.
 - Ensure that the battery pack is not at risk of being exposed to excessive vibration and shocks during transport, especially if the battery pack will be transported by car or other vehicle.
- If the battery pack will remain unused for any length of time, it should be stored in the original packaging, or in a compatible JCB power tool storage insert.



WARRANTY STATEMENT

Proof of purchase will be required before you make a warranty claim. Full warranty terms and conditions are available from your local distributor, they can be found on the JCB Tools website:


www.jcb-tools.com

FOR ANY MACHINE SOLD OUTSIDE THE UK, PLEASE CONTACT THE VENDOR FROM WHOM YOU PURCHASED THE MACHINE, AND/OR YOUR LOCAL JCB TOOLS DISTRIBUTOR

RETURNING YOUR PRODUCT

If you are returning your product, please contact the dealer for their returns policy.



EU DECLARATION OF CONFORMITY		CE	JCB	UK CA	UK DECLARATION OF CONFORMITY
1.	PRODUCT(S) COVERED BY THIS DECLARATION:	Product: UK Product Code No. Factory Reference No.	JCB 18V Lithium-ion E-TECH Battery Pack JCB-18LI-2, JCB-18LI-5		
2.	IDENTIFICATION DETAILS OF MANUFACTURER:	Name: Address: Country:	Genpower Ltd. (T/A: JCB Tools) Isaac Way Pembroke Dock, SA72 4RW UK		
	AUTHORISED REPRESENTATIVE:	Name: Address: Country:	Genpower Ltd Am Wacholderberg 11 61462 Koenigstein im Taunus Germany		
3. THIS DECLARATION OF CONFORMITY IS ISSUED UNDER THE SOLE RESPONSIBILITY OF THE MANUFACTURER					
4.	OBJECT OF THE DECLARATION:	Product: Function:	18V Lithium-ion 'E-TECH' Battery Pack Capacities: 2.0Ah, 5.0Ah. Power supply for JCB Cordless Power Tools		
5i.	THE OBJECT OF THE DECLARATION DESCRIBED IN POINT 4 IS IN CONFORMITY WITH THE RELEVANT UNION HARMONISATION LEGISLATION:	2006/42/EC 2006/66/EC (plus amendment 2013/56/EU) 2014/35/EU	The Machinery Directive The Battery Directive The Low Voltage Directive		
5ii.	THE OBJECT OF THE DECLARATION DESCRIBED IN POINT 4 IS IN CONFORMITY WITH THE RELEVANT UK STATUTORY INSTRUMENTS:	2008 No. 1597 2009 No. 890 2016 No. 1101	The Supply of Machinery (Safety) Regulations 2008 The Waste Batteries and Accumulators Regulations 2009 The Electrical Equipment (Safety) Regulations 2016		
6.	REFERENCES TO THE RELEVANT HARMONISED SAFETY STANDARDS USED OR REFERENCES TO THE OTHER TECHNICAL SPECIFICATIONS IN RELATION TO WHICH CONFORMITY IS DECLARED:	EN 55014-1:2017+A11 EN 55014-2:2021 IEC 62133-2:2017+A1:2021 UN 38.3, issue: ST/SG/AC.10/11/Rev.7	Electromagnetic compatibility. Requirements for household appliances, electric tools and similar apparatus - Emission Electromagnetic compatibility. Requirements for household appliances, electric tools and similar apparatus - Immunity. Secondary cells and batteries containing alkaline or other non-acid electrolytes. Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications -Lithium systems Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria		
7.	ADDITIONAL INFORMATION. THE TECHNICAL DOCUMENTATION FOR THE MACHINERY IS AVAILABLE FROM:	Name: Address: Country:	Genpower Ltd Am Wacholderberg 11 61462 Koenigstein im Taunus Germany		
SIGNED FOR AND ON BEHALF OF:		Genpower Limited			
PLACE OF ISSUE:		WALES, UK			
DATE OF ISSUE (DD/MM/YYYY):		01/06/2025			
NAME:		ROLAND J. LLEWELLIN			
FUNCTION:		MANAGING DIRECTOR			
SIGNATURE:					



EU DECLARATION OF CONFORMITY		CE	JCB	UK CA	UK DECLARATION OF CONFORMITY
1.	PRODUCT(S) COVERED BY THIS DECLARATION:	Product: UK Product Code No. Factory Reference No.	JCB 18V Lithium-ion E-TECH High Capacity Battery Pack JCB-18LI-4HC		
2.	IDENTIFICATION DETAILS OF MANUFACTURER:	Name: Address: Country:	Genpower Ltd. (T/A: JCB Tools) Isaac Way Pembroke Dock, SA72 4RW UK		
	AUTHORISED REPRESENTATIVE:	Name: Address: Country:	Genpower Ltd Am Wacholderberg 11 61462 Koenigstein im Taunus Germany		
3. THIS DECLARATION OF CONFORMITY IS ISSUED UNDER THE SOLE RESPONSIBILITY OF THE MANUFACTURER					
4.	OBJECT OF THE DECLARATION:	Product: Function:	18V Lithium-Ion 'E-TECH' High Capacity Battery Pack Capacities: 4.0 Power supply for JCB Cordless Power Tools		
5i.	THE OBJECT OF THE DECLARATION DESCRIBED IN POINT 4 IS IN CONFORMITY WITH THE RELEVANT UNION HARMONISATION LEGISLATION:	2006/42/EC 2006/66/EC (plus amendment 2013/56/EU) 2014/35/EU	The Machinery Directive The Battery Directive The Low Voltage Directive		
5ii.	THE OBJECT OF THE DECLARATION DESCRIBED IN POINT 4 IS IN CONFORMITY WITH THE RELEVANT UK STATUTORY INSTRUMENTS:	2008 No. 1597 2009 No. 890 2016 No. 1101	The Supply of Machinery (Safety) Regulations 2008 The Waste Batteries and Accumulators Regulations 2009 The Electrical Equipment (Safety) Regulations 2016		
6.	REFERENCES TO THE RELEVANT HARMONISED SAFETY STANDARDS USED OR REFERENCES TO THE OTHER TECHNICAL SPECIFICATIONS IN RELATION TO WHICH CONFORMITY IS DECLARED:	EN 55014-1:2017+A11 EN 55014-2:2021 IEC 62133-2:2017+A1:2021 UN 38.3, issue: ST/SG/AC.10/11/Rev.7	Electromagnetic compatibility. Requirements for household appliances, electric tools and similar apparatus - Emission Electromagnetic compatibility. Requirements for household appliances, electric tools and similar apparatus - Immunity. Secondary cells and batteries containing alkaline or other non-acid electrolytes. Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications -Lithium systems Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria		
7.	ADDITIONAL INFORMATION. THE TECHNICAL DOCUMENTATION FOR THE MACHINERY IS AVAILABLE FROM:	Name: Address: Country:	Genpower Ltd Am Wacholderberg 11 61462 Koenigstein im Taunus Germany		
SIGNED FOR AND ON BEHALF OF: PLACE OF ISSUE: DATE OF ISSUE (DD/MM/YYYY): NAME: FUNCTION: SIGNATURE:		Genpower Limited WALES, UK 01/06/2025 ROLAND J. LLEWELIN MANAGING DIRECTOR 			